









	PRODUCT CODE	DESCRIPTION	LENGTH (MM)	PACK SIZE	PRICE PER METRE	PRICE PER LENGTH	STOCK PACK	STOCK PACK PRICE PER METRE	STOCK PACK PRICE PER LENGTH
PRIMARY CHANNELS									
		<i>Used as a primary suspension channel to support furring channels. Can be suspended or direct fixed.</i>							
	2P1 .36	Top Cross Rail 25mm 0.55 BMT	3600	10	1.46	5.26	200	1.38	4.97
	2P2 .36	Top Cross Rail 25mm H/D 0.75 BMT Fire Tested	3600	10	1.93	6.95	200	1.83	6.59
	2P2 .48	Top Cross Rail 25mm H/D 0.75 BMT Fire Tested	4800	10		9.26	200		8.78
	*2P3 .48	Radius Top Cross Rail 25mm	4800	10	5.29	25.39	10	5.29	25.89
	2P4 .48	Top Cross Rail 38mm	4800	10	3.05	14.64	100	2.89	13.87
BATTEN/FURRING CHANNELS									
		<i>A popular and versatile metal batten which can be directly nailed up, suspended or used on walls. Knurled face provides better contact for adhesive and positive screw point location.</i>							
	2F1 .48	Ceiling/Wall Batten 18mm 1200 Span	4800	12	1.12	5.38	420	0.92	4.42
	2F1 .60	Ceiling/Wall Batten 18mm 1200 Span	6000	12		6.72	420		5.52
	2F2 .61	<i>Traditional domestic batten for direct fixing to trusses or walls</i> Top Hat Ceiling Batten	6100	10	1.31	7.99	250	1.18	7.20
		<i>Heavy duty furring channel 38mm wide, 28mm deep for building boards to be screw fixed to. Suitable for use in fire rated systems. Can be direct fixed with clips or fully suspended.</i>							
	2F3 .36	Furring Channel 28mm	3600	4	1.61	5.80	240	1.58	5.51
	2F3 .48	Furring Channel 28mm	4800	4		7.73	240		7.34
	2F3 .60	Furring Channel 28mm	6000	4		9.66	240		9.18
		<i>Medium duty furring channel, 38mm wide, 16mm deep for building boards to be screw fixed to. Can be direct fixed, fully suspended or used as wall batten.</i>							
	2F4 .48	Furring Channel 16mm	4800	10	1.41	6.77	100	1.34	6.43
	2F4 .60	Furring Channel 16mm	6000	10		8.46	100		8.04
	*2F5 .48	Radius Furring Channel 16mm	4800	1	POA	POA	1	POA	POA
	2F7 .60	<i>Recessed furring channel for direct fixing to walls, 13mm deep. Provides double screw fixing points for building boards.</i>	6000	10	2.44	14.64	100	2.32	13.92
	2F9 .36	<i>A channel specifically designed for use on walls to provide sound isolation.</i> Resilient Channel	3660	10	3.54	12.96	10	3.54	12.96
		*Lead time may be required							

PRICING NOT CURRENT
NEW CATALOGUE UNDER CONSTRUCTION

Ceiling Systems

	PRODUCT CODE	DESCRIPTION	LENGTH (MM)	PACK SIZE	PRICE PER METRE	PRICE PER LENGTH	STOCK PACK	STOCK PACK PRICE PER METRE	STOCK PACK PRICE PER LENGTH
WALL TRACK									
		<i>A wall track to be fixed to wall for 2F3/2F4 furring channels to sit in around ceiling perimeters. Particularly useful for passageways.</i>							
	2FW16 .30	16mm Furring Channel Perimeter Track	3000	10	1.59	4.77	200	1.51	4.53
	2FW28 .30	28mm Furring Channel Perimeter Track	3000	10	1.65	4.95	200	1.57	4.71
EXPOSED CEILING SYSTEMS									
		<i>A "Balanced Tee" exposed ceiling grid for 1200mm x 600mm or 600mm x 600mm acoustic or plasterboard "Lay-In" ceiling tiles. Manufactured from galvanised steel with a white Colorbond capping, the main runners are self-splicing and the cross runners have "Click-In" tab-ends for fast installation. The joggled ends on the cross runners prevent "rolling" of the sections, ensuring a flat ceiling.</i>							
	2T1 .36	Donn Main Tee 24 x 38mm	3600	20	1.83	6.59	20	1.83	6.59
	2T2 .12	Donn Cross Tee 24 x 33mm	1200	60	1.70	2.04	60	1.70	2.04
	2T3 .06	Donn Cross Tee 24 x 25mm	600	60	2.27	1.36	60	2.27	1.36
	2W2 .36	Donn Wall Angle 22 x 19mm	3600	40	1.74	6.26	40	1.74	6.26
	2W1 .36	Donn Wall Angle 40 x 19mm	3600	32	2.11	7.60	32	2.11	7.60
	2W3 .36	Donn Shadowline Wall Angle 27 x 10 x 19mm <i>For radius wall angles refer to PVC Mouldings & Trims Section.</i>	3600	24	2.03	7.31	24	2.03	7.31

**PRICING NOT CURRENT
NEW CATALOGUE UNDER CONSTRUCTION**



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PACK PRICE EACH
DIRECT FIXING CLIPS - BATTEN					
<i>Direct Fix Clips to suit 2F1/2F6 Batten/Furring Channels.</i>					
2D1	Batten Clip-Short — 87mm	100	0.29	1,000	0.28
2D2	Batten Clip - Long — 160mm	100	0.41	1,000	0.39
2D3	Batten Wall/Ceiling Clip-Flush	100	0.54	1,000	0.51
2D10	Batten Wall/Ceiling Clip - 10mm Step	100	0.54	1,000	0.51
2D11	Batten Wall/Ceiling Clip-10mm Step 6mm Threaded	100	0.79	1,000	0.75



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PACK PRICE EACH
DIRECT FIXING CLIPS - FURRING CHANNELS					
<i>Direct Fix Clips to suit 2F3/2F4 Furring Channels.</i>					
2D5	Furring Channel Clip - Short — 95mm	100	0.31	1,000	0.29
2D6	Furring Channel Clip - Long — 190mm	100	0.77	1,000	0.73
2D7	Furring Channel Wall/Ceiling Clip	100	0.46	1,000	0.44
2D8	Furring Channel Wall/Ceiling Clip 6mm Threaded	100	0.65	1,000	0.61
<i>An innovative adjustable furring channel clip for wall or ceiling. Any of the four positions can be used to support furring channel, therefore eliminating need of packing to ensure a flat surface when there are surface imperfections. These clips also allow for electrical cabling to run between furring channel and base structure.</i>					
2D15	Furring Channel Beta Fix Clip	100	0.85	1,000	0.81
<i>Furring Channels can also be direct fixed using resilient mounts. Refer to Page 11</i>					



PRICING NOT CURRENT UNDER CONSTRUCTION
NEW CATALOG



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PACK PRICE EACH
CHANNEL JOINERS					
<i>Joiners to enable continuous lengths of appropriate channels thus reducing wastage.</i>					
2J1	Top Cross Rail Joiner	100	0.95	500	0.91
2J3	Nail Up Batten 2F1 Joiner	100	0.40	500	0.38
2J4	Furring Channel 2F3 Joiner	100	0.40	500	0.38
2J5	Furring Channel 2F3/2F4 Joiner	100	0.52	500	0.50



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PACK PRICE EACH
PRIMARY COUPLINGS					
<i>Couplings to provide locking together of primary and secondary channels.</i>					
2C1	Top Cross Rail to Furring Channel 2F3/2F4 Couplings	100	0.28	1,000	0.27
2C2	"C" Channel to Furring Channel 2F3/2F4 Couplings	100	0.40	1,000	0.38
2C4	Tee-Bar to Batten/Furring Channel 2F1/2F6 Couplings	100	0.23	1,000	0.22
2C5	Top Cross Rail to 23mm Furring Channel 2F6 Couplings	100	0.31	1,000	0.29



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PACK PRICE EACH
PRIMARY SUSPENSION CLIPS					
<i>Clips to hang primary suspension channels</i>					
2S1	Top Cross Rail Adjustable Spring Hanger	100	0.86	1000	0.82
<i>A unique top cross rail spring hanger that is side mounted for improved, positive locking. This also allows for use in confined areas with low clearance, making drops of 100mm now possible.</i>					
2S1A	Top Cross Rail Adjustable Spring Hanger — Side Mount	100	0.81	1000	0.77
2S2	Top Cross Rail Right Angle Clip	100	0.44	500	0.42
2S6	Top Cross Rail Direct Fix Clip	100	0.27	500	0.25
2S4	Spring Adjustable Rod Joiner	100	0.52	500	0.49
2S3	Tee-Bar Adjustable Spring Hanger	100	0.66	1,000	0.63



NEW CATALOGUE UNDER CONSTRUCTION



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PRICE EACH
ROD SUSPENSION COMPONENTS					
<i>Range of clips and fasteners to hang suspension rod from</i>					
2H1	Suspension Rod Bracket	100	0.27	1,000	0.26
2H2	Suspension Rod Bracket Right Angle	100	0.27	1,000	0.26
2VF	Purlin Clip (VF1)	100	0.31	1,000	0.29
2H7A	Tie Wire Spike 5mm hole 5 X 32	100	prices page 73		
2H7B	Tie Wire Spike 5mm hole 6.5 x 32	100	prices page 73		
2H10	Pipe Spike with 6mm int. Thread	100	prices page 75		
9S625	Suspension Anchor Sleeve Type 6.5 x 25mm	100	prices page 72		
9S640	Suspension Anchor Sleeve Type 6.5 x 40mm	100	prices page 72		
9S660	Suspension Anchor Wedge Type 6.0 x 60mm	100	prices page 72		
9WN06	Wedge Nut for Bondek Roofing 6mm int. Thread	100	prices page 74		
9AC25T	Angle Clip Assembly Powder Actuated	100	prices page 78		
9TC632	Threaded Clip Assembly - 6mm - Powder Actuated	100	prices page 78		



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PRICE EACH
RESILIENT MOUNTS					
<i>A component to fix furring channel to walls or ceilings whilst isolating it from structure-vibration and reducing noise transmission from other areas. Resilient mounts with other methods of fixing are also available.</i>					
2RD1	Furring Channel Resilient Mount - Direct Fixing	100	4.62	1,000	4.39
2RD1T	Furring Channel Resilient Mount - Threaded (No Fastener Supplied)	100	5.73	500	5.45
2RD5	Furring Channel to Top Cross Rail Resilient Mount	100	5.62	500	5.34
2RD9	Furring Channel Resilient Mount - Direct Fixing	100	4.20	1000	3.99
2RD15	Furring Channel "Beta Fix" Resilient Mount	100	3.69	1000	3.49

PRICING NOT CURRENT
NEW CATALOGUE UNDER CONSTRUCTION



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PACK PRICE EACH
ADJUSTABLE DIRECT FIXING ASSEMBLIES - TOP CROSS RAILS					
<i>Convenient and time saving assemblies to suspend top cross rail from concrete slabs. Other assemblies and sizes available on request.</i>					
*2AS2A	Top Cross Rail Clip (2S2) with Tru Bolt 45mm	100	1.35	500	1.28
*2AS2B	Top Cross Rail Clip (2S2) with Pipe Spike and All Thread 150mm	100	1.70	500	1.62
*2AS2C	Top Cross Rail Clip (2S2) with Bondek Wedge Nut and All Thread 150mm	100	1.91	500	1.81



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PACK PRICE EACH
ADJUSTABLE DIRECT FIXING ASSEMBLIES - BATTEN					
<i>A selection of assemblies to suit 2F1 batten without using primary channel.</i>					
*2A04A	Batten Wall Clip (2D4) with Adjustable Threaded Spike Assembly	100	1.64	500	1.56
*2A11A	Batten Wall/Ceiling Clip (2D11) with Tru Bolt 45mm	100	1.64	500	1.56
*2A11E	Batten Wall/Ceiling Clip (2D11) with Pipe Spike and All Thread 150mm	100	1.93	500	1.83
*2A11F	Batten Wall/Ceiling Clip (2D11) with Powder Actuated Hanger and All Thread 150mm	100	2.07	500	1.97
*2A11G	Batten Wall/Ceiling Clip (2D11) with Bondek Wedge Nut and All Thread 150mm	100	2.13	500	2.02



PRODUCT CODE	DESCRIPTION	PACK SIZE	PRICE EACH	STOCK PACK	STOCK PACK PRICE EACH
ADJUSTABLE DIRECT FIXING ASSEMBLIES - FURRING CHANNEL					
<i>A selection of assemblies to suit 2F3/2F4 furring channel without using primary channel.</i>					
*2A08A	Furring Channel Wall/Ceiling Clip (2D8) with Tru Bolt 45mm	100	1.48	500	1.41
*2A08E	Furring Channel Wall/Ceiling Clip (2D8) with Pipe Spike and All Thread 150mm	100	1.78	500	1.69
*2A08F	Furring Channel Wall/Ceiling Clip (2D8) with Powder Actuated Hanger and All Thread 150mm	100	1.95	500	1.85
*2A08G	Furring Channel Wall/Ceiling Clip (2D8) with Bondek Wedge Nut and All Thread 150mm	100	1.98	500	1.88
*2A08H	Furring Channel Wall/Ceiling Clip with Threaded Boss and Drive Pin	100	2.03	500	1.93

* Lead time may be required

PRECAST CONSTRUCTION
 CURRANT UNDER
 LOGUE UNDER
 NEWCASTLE

	PRODUCT CODE	DESCRIPTION	LENGTH (MM)	PACK SIZE	PRICE PER METRE	PRICE PER LENGTH	STOCK PACK	PRICE PER METRE	PRICE PER LENGTH
SUSPENSION ROD/WIRE									
		<i>A plain galvanised rod/wire for use in suspending ceiling systems.</i>							
	2R5	Galvanised Rod - 5mm	4000	40	0.55	2.20	1,000	0.52	2.08
	2R2	Galvanised Wire - 2.5mm	4000	160	0.25	1.00	640	0.24	0.96
		<i>Metric 6mm All Thread and nuts for use in suspended ceiling applications. Other metric and imperial sizes available on request.</i>							
	2RTA .30	All Thread 6mm Metric (cut to size available)	3000	100	1.92	5.76	500	1.82	5.46
	*2RTA .015	All Thread 6mm Metric	150	100		0.37	500		0.35
	2RN	Nuts 6mm Metric		200		0.06	200		0.06
		<i>6mm Bolts available on request</i>							
UTILITY ANGLES									
	*2UA 35.36	0.75 BMT Utility Angle 35 x 35mm x .8mm	3600	20	1.72	6.19	100	1.64	5.90
	*2UA 45.36	0.75 BMT Utility Angle 50 x 50mm x .8mm	3600	20	2.44	8.78	100	2.32	8.35
		* Lead time may be required							

**PRICING NOT CURRENT
NEW CATALOGUE UNDER CONSTRUCTION**

Ceiling Systems