









	AP300	AP900	DY300M	DY300	DY400 (7MM MAX. LENGTH)	DY441	DY480	MS75	SL75	RS500	PX1800	S75A	TS750	TS750P	DA0 (6MM MAX. LENGTH)	DA0	D200	J2075	EP3600	BE70200	EP660
Fastener Load Type	Intex	Intex	Hilti	Hilti	Hilti	Hilti	Hilti Pneutek	Macsim Pneutek	Macsim	Powers	Powers	Ramset	Ramset	Ramset	Ramset	Ramset	Ramset	Ramset	Reid	Reid	Reid
<b>FASTENERS - POWDER ACTUATED SELECTION GUIDE</b>																					
Drive Pins - 8mm Head	■	■	■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Washed Drive Pins - 8mm Head	■	■	■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Angle Clip Assemblies - 8mm Head	■	■	■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Threaded Studs	■	■	■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Threaded Clip Assemblies	■		■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Drive Pins - 1/4" Head											■							■			■
Collated Drive Pins - 8mm Head		■	■		■	■															
Drive Pins - NK Series							■														
.27 Calibre Safety Strip Loads	■	■	■	■	■	■	■	■	■	■		■	■	■					■	■	
.22 Calibre Loads											■							■			■
.25 Calibre Disc Loads														■	■	■					
■ with Magazine Attachments																					

	PRODUCT CODE	DESCRIPTION	HEAD DIAMETER	LENGTH MM	BOX QTY	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY	OUTER CARTON QTY PRICE PER 100
<b>DRIVE PINS - 8MM HEAD</b>								
		<p>For use in EXP360, AP360, Hilti DX350, DX36M, DX600N, DXA40, DXA41 Ramset JP50, JP88, S75A, D60, D90, D200 Powers R3500, R35S, R7200, R2200, BETO 200, 201, etc. Designed for permanent fastening in concrete and some types of block. All pins have plastic flute over point to hold pin in tool.</p>						
	9X825	Drive Pin for Concrete	8mm	25	100	8.40	1,000	7.65
	9X851	Drive Pin for Concrete	8mm	51	100	11.95	1,000	10.80
	9X863	Drive Pin for Concrete	8mm	63	100	14.15	1,000	12.75
	9X876	Drive Pin for Concrete	8mm	76	100	15.50	1,000	13.90
<b>WASHERED DRIVE PINS - 8MM HEAD</b>								
		<p>For use in same tools as 8mm Head Drive Pins. Assembled with 20mm diameter washer. Ideal for fastening track to concrete. The washed pins with top hat are an optimum product with a plastic washer holding pin firmly in tool. Top hat stops "finger pricking" and ensures fast and accurate installation.</p>						
	9DW25	Washed Drive Pin for Concrete	8mm	25	100	16.55	2,000	14.90
	9DW25T	Washed Drive Pin with Top Hat for Concrete	8mm (DN)	25	100	19.60	2,000	17.60
	9DW30T	Washed Drive Pin with Top Hat for Concrete	8mm (DN)	32	100	23.90	2,000	21.60
<b>ANGLE CLIP ASSEMBLIES</b>								
		<p>For use in same tools as 8mm Head Drive Pins. Assembled with a right angle bracket to hang suspension rod from. Both types have a pre-assembled top hat so pin point is flat on surface when installing ensuring speed and accuracy. The 9AC25 assembly has plastic flute to hold pin in tool, while the 9AC25T assembly uses 8.5mm plastic washer.</p>						
	9AC25	Angle Clip Assembly with Top Hat and Flute for Concrete	8mm	25	100	21.90	1,200	19.70
	9AC25T	Angle Clip Assembly with Top Hat and Washer for Concrete	8mm (DN)	25	100	24.90	1,200	22.40
<b>THREADED CLIP ASSEMBLIES</b>								
		<p>For use in same tools as 8mm Head Drive Pins. Pin is assembled to a hanger with an internal thread for threaded rod to be screwed into. After installation the bracket is bent so rod hangs vertically.</p>						
	9TC632	Threaded Clip Assembly for 6mm Threaded Rod	8mm (DN)	32	50	98.50	500	89.00
	9TC1032	Threaded Clip Assembly for 10mm Threaded Rod	8mm (DN)	32	50	121.50	500	109.50

PRICING NOT CURRENT UNDER CONSTRUCTION  
NEW CATALOGUE

	PRODUCT CODE	DESCRIPTION	HEAD DIAMETER	LENGTH MM	BOX QTY	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY	OUTER CARTON QTY PRICE PER 100
		<b>DRIVE PINS - 1/4" HEAD</b>						
		<i>For use in J20, J20S, Omark 330, PAT660, EXP660 etc. A high velocity pin for permanent fastening to concrete. Pins have a protective cap over point.</i>						
	9X425	Drive Pin For Concrete	1/4"	25	100	16.90	1,000	15.80
	9X440	Drive Pin For Concrete	1/4"	40	100	19.60	1,000	17.70
	9X450	Drive Pin For Concrete	1/4"	50	100	20.50	1,000	18.50
	9X465	Drive Pin For Concrete	1/4"	65	100	25.80	1,000	23.20
	9X475	Drive Pin For Concrete	1/4"	75	100	25.80	1,000	23.20
		<b>COLLATED DRIVE PINS</b>						
		<i>Designed for use with Hilti DX36M and DXA40 or AP099 magazine tools. A collated strip of 10 pins.</i>						
	9XM22	Collated Drive Pins For Concrete	8mm (DN)	22	100	17.25	1,000	15.55
	9XM27	Collated Drive Pins For Concrete	8mm (DN)	27	100	19.60	1,000	17.65
	9XM32	Collated Drive Pins For Concrete	8mm (DN)	32	100	20.70	1,000	18.60
	9XM52	Collated Drive Pins For Concrete	8mm (DN)	52	100	24.30	1,000	21.80
	9XM72	Collated Drive Pins For Concrete	8mm (DN)	72	100	30.90	1,000	27.85
		<b>DRIVE PINS NK SERIES</b>						
		<i>Designed for use with Hilti DX450. For permanent fixing to concrete. Pins are assembled with 12mm metal washer.</i>						
	9NK27	Drive Pins NK Series For Concrete	5.6	27	100	20.90	1,000	18.80
	9NK32	Drive Pins NK Series For Concrete	5.6	32	100	21.70	1,000	19.50
	9NK37	Drive Pins NK Series For Concrete	5.6	37	100	23.50	1,000	21.15
	9NK52	Drive Pins NK Series For Concrete	5.6	52	100	29.00	1,000	26.20
	9NK75	Drive Pins NK Series For Concrete	5.6	75	100	35.40	1,000	31.90
		<b>.27 CALIBRE SAFETY LOAD STRIPS</b>						
		<i>Designed for use with AP360, Hilti DX350, DX36M, DX450, DXA40, DXA41, Ramset S75A, Powers R3500, BETO200, EXP360, etc. The .27 calibre rim fire metal cased power loads are now collated in a longer safety plastic strip.</i>						
	9P1Y	Medium Load Yellow .27 Calibre 10 Load Strips			100	16.50	5,000	14.90
	9P1R	Strong Load Red .27 Calibre 10 Load Strips			100	16.50	5,000	14.90
		<b>.22 CALIBRE SINGLE LOADS</b>						
		<i>Designed for use with PAT660, EXP660, Ramset J20, J20S. A single .22 calibre rim fire metal-cased power load.</i>						
	9P2Y	Medium Load Yellow .22 Calibre Standard Velocity Loads			100	16.30	2,000	14.70
	9P2R	Strong Load Red .22 Calibre Standard Velocity Loads			100	16.30	2,000	14.70
		<b>.25 CALIBRE DISC LOADS</b>						
		<i>Designed for use with Ramset D60, D90, D200. Ten .25 calibre rim fire metal-cased power loads collated in metal disc.</i>						
	9P3Y	Medium Load Yellow .25 Calibre Disc Loads			100	18.15	2,000	16.85
	9P3R	Strong Load Red .25 Calibre Disc Loads			100	18.15	2,000	16.85
		<b>For Power Actuated Tools - Refer Separate Listing Under Power Tools Page 91</b>						

PRICING MOULDING UNIDERS GO NEW CATALOGUE