





	PRODUCT CODE	DESCRIPTION	LENGTH (MM)	PACK SIZE	PRICE PER METRE	PRICE PER LENGTH	STOCK PACK	STOCK PACK PRICE PER METRE	STOCK PACK PRICE PER LENGTH
<b>EXTERNAL CORNERS</b>									
		<i>Superior angle with proven plaster adhesion and low profile nib creating "pencil sharp" straight line while reducing the amount of compound required. Packaged in boxes.</i>							
	PEX 90.24	Perforated External Angle 90°	2400	60	0.79	1.90	480	0.75	1.80
	PEX 90.25	Perforated External Angle 90°	2550	60		2.01	480		1.91
	PEX 90.27	Perforated External Angle 90°	2700	60		2.13	480		2.03
	PEX 90.30	Perforated External Angle 90°	3000	60		2.37	480		2.25
	PEX 90.36	Perforated External Angle 90°	3600	60		2.84	480		2.70
	PEX 135.24	Perforated External Angle 135°	2400	60	0.93	2.28	480	0.88	2.11
	PEX 135.27	Perforated External Angle 135°	2700	60		2.51	480		2.38
	PEX 135.30	Perforated External Angle 135°	3000	60		2.79	480		2.64
	PEX 135.36	Perforated External Angle 135°	3600	60		3.35	480		3.17
	PEX 90.30SS	Stainless Steel External Angle 90° Perforated	3000	20	POA	POA	480	POA	POA
	PEX 90.30XT	Corrosion Resistant External Angle 90° Mesh	3000	20	POA	POA	480	POA	POA
<b>PERFECT ANGLES</b>									
		<i>Produces strong, straight and crack free internal corners. Available in 4 different degrees to suit every application.</i>							
	PA 90.24	Perforated Internal Angle 90°	2400	60	0.99	2.38	480	0.94	2.26
	PA 90.27	Perforated Internal Angle 90°	2700	60		2.67	480		2.54
	PA 90.30	Perforated Internal Angle 90°	3000	60		2.97	480		2.82
	PA 90.36	Perforated Internal Angle 90°	3600	60		3.56	480		3.38
	PA 135.24	Perforated Internal Angle 135°	2400	60	1.28	3.07	480	1.22	2.93
	PA 135.27	Perforated Internal Angle 135°	2700	60		3.46	480		3.29
	PA 135.30	Perforated Internal Angle 135°	3000	60		3.84	480		3.66
	PA 113.30	Perforated Internal Angle 113°	3000	60	1.82	5.46	240	1.73	5.19
	PA 153.30	Perforated Internal Angle 153°	3000	60	1.82	5.46	240	1.73	5.19
<b>BACKING ANGLES</b>									
		<i>Used behind plasterboard sheet, adding strength to corner and acting as a flashing in wet areas. Heavy Duty angles are specifically designed for steel frame buildings and in construction of bulkheads.</i>							
	PBA 90.24	Plasterers Internal Angle	2400	20	0.61	1.46	1,000	0.59	1.42
	PBA 90.27	Plasterers Internal Angle	2700	20		1.65	1,000		1.59
	PBA 90.30	Plasterers Internal Angle	3000	20		1.83	1,000		1.77
	PBA 90.24H	Heavy Duty Internal Angle	2400	20	0.98	2.35	500	0.93	2.23
	PBA 90.27H	Heavy Duty Internal Angle	2700	20		2.65	500		2.51
	PBA 90.30H	Heavy Duty Internal Angle	3000	20		2.94	500		2.79
<b>ARCH BEADS</b>									
		<i>Conforms to archways and other curved wall applications.</i>							
		<b>For tight radii refer to arch beads in PVC Mouldings &amp; Trims and Tapes -Joining &amp; Corners Sections.</b>							
	PAB 180.30	Perforated Arch Bead	3000	60	0.83	2.49	480	0.79	2.37
	PAB 180.36	Perforated Arch Bead	3600	60		2.99	480		2.84

	PRODUCT CODE	DESCRIPTION	LENGTH (MM)	PACK SIZE	PRICE PER METRE	PRICE PER LENGTH	STOCK PACK	STOCK PACK PRICE PER METRE	STOCK PACK PRICE PER LENGTH
<b>CASING BEADS</b>									
		<i>Fits snugly over board edges with no stopping up required. Surface can be directly painted on.</i>							
	MCB 06.30	Metal Casing Bead 6mm	3000	20	0.98	2.94	100	0.93	2.79
	MCB 10.24	Metal Casing Bead 10mm	2400	20	0.99	2.38	100	0.94	2.26
	MCB 10.27	Metal Casing Bead 10mm	2700	20		2.67	100		2.54
	MCB 10.30	Metal Casing Bead 10mm	3000	20		2.97	100		2.82
	MCB 10.36	Metal Casing Bead 10mm	3600	20		3.56	100		3.38
	MCB 13.24	Metal Casing Bead 13mm	2400	20	0.99	2.38	100	0.94	2.26
	MCB 13.27	Metal Casing Bead 13mm	2700	20		2.67	100		2.54
	MCB 13.30	Metal Casing Bead 13mm	3000	20		2.97	100		2.82
	MCB 13.36	Metal Casing Bead 13mm	3600	20		3.56	100		3.38
MCB 16.30	Metal Casing Bead 16mm	3000	20	1.26	3.78	100	1.20	3.60	
<b>STOPPING ANGLES</b>									
		<i>Ideal for use around door jambs and window returns. Available in standard perforated leg width of 28mm or a handy 15mm. (Solid leg width up to 100mm available on request)</i>							
		<b>For a more extensive range of sizes refer to PVC Mouldings &amp; Trims and "NoCoat" Corner System Sections.</b>							
	LSA 06.30	Long Leg Stopping Angle 6mm	3000	20	1.08	3.24	100	1.03	3.09
	LSA 10.30	Long Leg Stopping Angle 10mm	3000	20	1.08	3.24	100	1.03	3.09
	LSA 13.30	Long Leg Stopping Angle 13mm	3000	20	1.11	3.33	100	1.05	3.15
LSA 16.30	Long Leg Stopping Angle 16mm	3000	20	1.18	3.54	100	1.12	3.36	
LSA 30.30	Long Leg Stopping Angle 30mm	3000	20	1.56	4.68	100	1.48	4.44	
		<i>An extra heavy duty angle specifically designed for finishing window &amp; door reveals. Manufactured from 0.8mm BMT steel. Eliminates warping, twisting, cracking &amp; damage from UV rays.</i>							
	*WT 35.30	Window Trim 35mm	3000	10	5.69	17.07	10	5.69	17.07
	*WT 50.30	Window Trim 50mm	3000	10	6.53	19.59	10	6.53	19.59
	*WT 65.30	Window Trim 65mm	3000	10	6.53	19.59	10	6.53	19.59
	*WT 90.30	Window Trim 90mm	3000	10	7.56	22.68	10	7.56	22.68
	*WT 100.30	Window Trim 100mm	3000	10	7.56	22.68	10	7.56	22.68
	*WT 145.30	Window Trim 145mm	3000	10	8.62	25.86	10	8.62	25.86
		<i>* Lead time may be required</i>							
<b>EXPANSION JOINTS</b>									
		<i>For use in areas where movement may occur, allowing for movement in all directions. Supplied pre-assembled. Expansion foam and spline available – also can be used with other combinations of metal sections.</i>							
	EJ 06.30	Expansion Joint Assembled Complete 6mm	3000	20	5.81	17.43	60	5.52	16.56
	EJ 10.30	Expansion Joint Assembled Complete 10mm	3000	20	5.81	17.43	60	5.52	16.56
	EJF .15	Expansion Joint Foam (on roll)	15m	1	1.20	18.00	1	1.20	18.00
	ES 10.30	Expansion Joint Spline 6/10mm	3000	20	0.32	0.96	20	0.32	0.96
		<b>For a more extensive range of expansion joints refer to PVC Mouldings &amp; Trims Section.</b>							

NEW CATALOGUE UNDER CONSTRUCTION  
 PRICEING GUIDE

	PRODUCT CODE	DESCRIPTION	LENGTH (MM)	PACK SIZE	PRICE PER METRE	PRICE PER LENGTH	STOCK PACK	STOCK PACK PRICE PER METRE	STOCK PACK PRICE PER LENGTH
<b>STOPPING BEADS</b>									
		<i>Encases board edges with a perforated stop up edge.</i>							
	SB 06.30	Metal Stopping Bead 6mm	3000	20	1.14	3.42	100	1.08	3.24
	SB 10.24	Metal Stopping Bead 10mm	2400	20	1.14	2.74	100	1.08	2.59
	SB 10.27	Metal Stopping Bead 10mm	2700	20		3.08	100		2.92
	SB 10.30	Metal Stopping Bead 10mm	3000	20		3.42	100		3.24
	SB 10.36	Metal Stopping Bead 10mm	3600	20		4.10	100		3.89
	SB 13.24	Metal Stopping Bead 13mm	2400	20	1.14	2.74	100	1.08	2.59
	SB 13.27	Metal Stopping Bead 13mm	2700	20		3.08	100		2.92
	SB 13.30	Metal Stopping Bead 13mm	3000	20		3.42	100		3.24
	SB 13.36	Metal Stopping Bead 13mm	3600	20		4.10	100		3.89
SB 16.30	Metal Stopping Bead 16mm	3000	20	1.29	3.87	100	1.28	3.69	
<b>SHADOWLINE STOPPING ANGLES</b>									
		<i>Creates effective architectural shadowline when butting up to door jambs, ceilings, etc. Service available for producing custom made radius angles for curved walls.</i>							
		<b>For additional shadowline angles refer to PVC Mouldings &amp; Trims Sections.</b>							
	SL 06.30	Shadowline Stopping Angle 6mm	3000	20	1.14	3.42	100	1.08	3.24
SL 10.30	Shadowline Stopping Angle 10/13/16mm	3000	20	1.14	3.42	100	1.08	3.24	
<b>SHADOWLINE CASING BEADS</b>									
		<i>Same as Shadowline Stopping Angle except with a leg to go behind board and does not require stopping up.</i>							
	SC 10.30	Shadowline Casing Bead 10mm	3000	20	2.59	7.77	20	2.59	7.77
	SC 13.30	Shadowline Casing Bead 13mm	3000	20	2.63	7.89	20	2.63	7.89
<b>RENDER SECTIONS</b>									
		<i>A strong angle with 45mm legs and 2.5mm radius. Intricate mesh pattern allows for greater surface contact and render penetration.</i>							
	RA 90.24	Render Angle 2.5mm radius	2400	20	2.11	5.06	20	2.11	5.06
	RA 90.30	Render Angle 2.5mm radius	3000	20		6.33	20		6.33
	RA 90.24SS	Corrosion Resistant Render Angle 2.5mm radius	2400	20	3.99	9.58	20	3.99	9.58
	RA 90.30SS	Corrosion Resistant Render Angle 2.5mm radius	3000	20		11.97			11.97
<b>BULLNOSE SECTIONS</b>									
		<i>Produces a contemporary bullnose look. Can be used in both render and plasterboard applications.</i>							
		<b>For a full range of bullnose products refer to PVC Mouldings &amp; Trims and "NoCoat" Corner System Sections.</b>							
	RB 10.30	Bullnose Section 10mm radius	3000	10	3.02	9.06	100	2.87	8.61
RB 22.30	Bullnose Section 22mm radius	3000	10	7.63	22.89	10	7.63	22.89	

PRICING NOT CURRENT UNDER CONSTRUCTION  
NEW CATALOGUE